


# button**b**adgemachines

## How to install your machine

1.



2.



3.



Starting position for making badges

1. Insert the Top Mould into the machine.

2. Insert Mould A into holes on section marked "A".  
"A" on mould must face "A" on machine base.  
Metal pin of mould must be sitting on 12 o'clock.

3. Insert Mould B into holes on section marked "B".  
"B" on mould must face "B" on machine base.  
Metal pin of mould must be sitting on 12 o'clock.

[buttonbadgemachines.com.au](http://buttonbadgemachines.com.au) | free call 1800 141 662

## How to make a button badge

### IN MOULD A :

1. Place the metal ring into the mould with the sharp edge facing downwards.
2. Next place the printed paper artwork on top. The vertical line on artwork should point to the 12 o'clock of the mould.

### ACTION

Rotate the base so that Mould A is directly underneath the top mould.  
Press handle downward with pressure then release slowly back to normal position.

The components are now in the upper mould.

[buttonbadgemachines.com.au](http://buttonbadgemachines.com.au) | free call 1800 141 662



MOULD A

## How to make a button badge

2.



1.



Metal ring is only required for  
32mm, 44mm & 58mm only

### MOULD B

#### IN MOULD B :

1. Place the metal ring into the mould. This remains in mould "B" permanently.

*\*This step is only required for 32mm, 44mm and 58mm.*

2. Place the white plastic back into the mould with the pin fastener facing downwards. The catch of the fastener should face the 3 o'clock position.

#### ACTION

Rotate the base so that Mould B is directly underneath the top mould.

Press handle downward with pressure then release slowly back to normal position.

Your button badge is now complete!